Haiyaa VariPrint Version Comparison

Date: 2017-	2017-2-1		Versions			
Modules	Function Groups	Descriptions	STD	PRO	SB	
Template Setup		 Blank page, CMYK & RGB image, single or multiple page PDF file as template 	√	√	√	
octup		Tempalte replacement while previously design				
		Each template can share the same data or have its own data.				
		Multi-page template add by inserting new image file				
mposition		Sequence imposition containing 8 modes to match any offset print	1	√	√	
iiipositioii		Fixed or different number X/Y spacing		,	,	
		Define imposition sequence order by importing an external csv	-			
		Vertication and Horizonation	Ī			
		Customize label sequence freely in the sequence imposition	1			
		Two-side imposition (front/back mirror effect)		√	√	
		Stack impostion with grouping setting option	Ī			
		Free style imposition function to impose different size and kinds of labels on the one page easily.	Ī			
		Add eyemark freely	-			
		Smart imposition setting according to the cylinder perimeter	1			
		Cropmark setting, including color, position	1			
		Continious column number in the roll feed printing	1			
Variable		Continious column number in the roll feed printing Rotation of image at any angle	√	√	,	
		PDF, JPG, TIF, BMP	~	~	√	
lmage		Notice of the file not existed				
		Image display mode (Original,Fit to frame, Crop to frame)				
		Dynamic box properties(color,size,position)		,	,	
		Conditioning image printing		√	√	
		Horizontal Alignment and Vertical Alignment				
		Blend mode (16 modes)				
		Set the Image to back				
		Image Clip Path(use external lua file to define)				
		Horizontal Mirror and Vertical Mirror				
		Transparency Minimun and Transparency Maximun				
Variable	1D	Support up to 45 types of 1D barcode	√	√	√	
variable Barcode	טו	Support Code128 Auto and Code 128 Same Width	~	~	~	
Barcode	2D	PDF417,QRCode,QRCode(Quick),DataMatrix,Codablock F,Code				
		16K,MicroPDF417				
	Key	Support scaling of Barcode text font	-			
	Features	Support pure black and RGB color	-			
		Black line width inching in the level of dot	-			
		White line width inching for some types of 1D barcode				
		Bitmap or vector image mode output	_			
		 Size and offset customization setting to the front(or front and end) character of EAN and UPC 				
			-			
		Part of 2D barcode embeded in language character set	-			
		Barcode content UTF8 or Ansi and UTF8Head	-			
		Support 2D barcode zoom in and zoom out to any size (2 options)		,	,	
		CMYK and spot color barcode support		√ ,	√	
Manial I		GS1 Datamatrix, GS1 Code128 Support Par chart Pia Chart 3D Chart 3D Chart Chart 3D Chart 3D Chart 3D Chart Output Out		√ ,	√,	
Variable Chart		Support Bar chart, Pie Chart,2D Chart,3D Chart		√	√	
General Table		 Support variable general text, paragraph text, image, barcode, OTF text, RTF text, composite text, OverprintText, OutlineFillText, OutlineText in the cell 	√	√	√	
			4			
		Dynamic row or column spacing option (fixed table height or width)	4			
		Row or column move up and down or right and left or move center automactically option when certain cell is empty				
Statement		Support variable text,image and barcode in the cell			√	

Table	[Multi-row support (static and dynamic row)				
		Dynamic row number and content				
		Table repeats in the same page				
Variable Text	Basic	Horizontal or vertical layout		√	√	√
		Rotation of text at any angle				
	•	 Pure black printing option suitable for handmade font and ico 	n)			
		Horizontal Mirror and Vertical Mirror				
	ľ	 Stroke Overprint and Fill Overprint(only available when text is 	in		√	√
		CMYK and spotcolor)				
	Advance	Conditional text printing			√	√
		Kerning of Chinese, English and Number				
		Hybrid layout of variable text and image				
		Horizontal and vertical mirror				
	•	Dynamic Font and Box Properties				
	į.	Horizontal or vertical layout				
		Leading & Paragraph spacing setting				
	,	First word displacement				
		Reduce font width to fit to frame with minimun scaling ratio se	tting			
	}	Reduce for width to fit to frame with minimum size setting	tung			
		Snap frame to contents				
			2			
	li i	Automatically translation of cloth lable composition description				
		Each variables properties among a hybrid text can be set sep	erately			
		Y-offset of the variables can be set freely				
		Horizontal and Vertical alignment (Left, Right, Justify and Force)				
	Text	Support Circular & Customized Shape		\checkmark	√	√
		Text layout inside the path (except Text Path)				
		Path text direction (clockwise, anticlockwise and start point)				
		 Hybrid RGB color text setting (by color block number and color block number) 	or			
		randomization, and forbidden color)				
		Straight line, Square, Fillet rectangle, Circular arc, Circular ar			\checkmark	√
		string, Ellipse, Pentagon, Fan-shaped, Hexagon, Customized				
		Image layout inside the path (except Text Path, support Image)				
		and Expression, Layout support 6 modes, such as Tile, Tile F	lip X,			
		Tile Flip Y, Tile Flip X/Y, Clamp, Autosize)				
	3D	Outline Fill Outline			√	√
	Font Effect	Outline ShadowSolid Shadow				
		Outline Cubic Solid Cubic				
		Set font bold level by adjust line size				
		Support Dynamic Font Properties				
	ľ	Fill mode and Line Mode				
	ľ	 Support scaling of font, character spacing and single line fit to 	frame			
	RTF Text	Import RTF format file saved from Microsoft Word				
		Support fill overprint and stroke overprint				
		Random CMYK and spotcolor text with block number setting				
	TOAL	Adjust character spacing and leading freely				
		Trumpet special effect variable text				
				,	,	,
	OIF Text	Support all font type in the Windows Font folder Looding 8 Character angular action.		√	√	√
		Leading & Character spacing setting		√	√	√.
	ļ	Support bulletin point layout of variable text			√	√
		Support Dynamic Box				
		Support CMYK and spotcolor				
		OTF Extended Setting, support complex logic dynamic font	oto			
		composite text, automatically kerning and scaling adjustment				
		 Auto Format Parameter, The biggest dynamic row gap, Cross 				
		setting, dedicate for automatic cloth label composition layout	tormat			
		setting				
Geometric	;	 Straight line, Square, Rectangle, Fillet rectangle, Circle, Circle 	ılar arc,	√	√	√
Figure		Circular arc string, Ellipse, Pentagon, Fan-shaped, Hexagon,				
		Custimized				

	Supports Square, Rectangle, Fillet Rectangle, Hexagon, Circle, Ellipse, Pentagen		√	√
	Ellipse, Pentagon			
	conditioning table printing			√
	0 1 1 7			
Border		√	√	√
	11 1 1	√	√	√
l l			\checkmark	√
Brush	 Support foreground & background fill with Halftone brush, Hatch brush and Image Brush, support rainbow effect text. 	√	\checkmark	√
Color	● Black and RGB support ● Transparent color support	√	√	√
	 CMYK and Spotcolor support to general text, path text and 3D text and overprint text 		√	√
Text data	Support unicode and text file with any suffix or delimiter	√	√	√
Autodata	 Support serial number display format setting (startvalue, stepvalue, format) 	√	√	√
MDB	Support single list open	√	√	√
ľ		•	√	√
ODBC		V	√	√
	such as Oracle, SQL, Foxpro, Dbase.			
Database Dis-	 Built-in strong logic process to disaaemble to multiple static / dynamic database 			√
assembles				
	Support recording index number, statistics, dynamic page number			√
Database	printing			
		\checkmark	\checkmark	√
Static	Import large number of data with static(fixed) width fornat	√	✓	√
Width Data				
		√	√	√
		√	\checkmark	√
	statement's printing			√
		√	√	√
	SplitStr function - split string by inserting certain character			
Middle	zon, ng. n, ma ranonon oznace ona actoro nom no cumg	√	√	√
Advance	 Date & Time Functions - calculate and manipulate date & time information and formatting 		√	√
	Logical Functions - compare and test according to condition			
	 Text functions - change the color, font, size, style, position and wording of the specified text 			
ŀ				
ľ				
	· · · · · · · · · · · · · · · · · · ·			
Statement	Get Functions - capture information about the status of a database			√
		,	/	1
ŀ	Print variable with template	√	√	√
	Rectify printing of horizontal or vertical			
	Add die-cut file to produce the test pages in the front of and behind			
	 Add die-cut file to produce the test pages in the front of and behind of main body 			
	of main body			
	Border Font Brush Color Text data Autodata MDB ODBC Database Dis- assembles System Database SQL Server Static Width Data Excel DB XML DB V4P format Basic Middle Advance	Design and print height is set separately to meet special demand for statement when setting up a project. Border I Line size and line type(Solid,Dash,Square Dot,Dash Dot,) Support Unicode, Truetype and Opentype fonts Support to composite font, subscript and superscript. Properties change dynamically to the defined character Brush Support foreground & background fill with Haliftone brush, Hatch brush and Image Brush, support rainbow effect text. Color Black and RGB support CMYK and Spotcolor support to general text, path text and 3D text and overprint text Text data Support unicode and text file with any suffix or delimiter Support data filtering, multi-list & customized SQL scripting OBBC Support data filtering, multi-list & customized SQL scripting OBBC Support data filtering, multi-list, and all kinds of relational database, such as Oracle, SQL, Foxpro, Dbase. Database Dis- assembles System Database Dis- data filtering process to disaaemble to multiple static / dynamic database System Database Support total pages calculation to every account SQL Server Support total pages calculation to every account SQL Server Support large number of data with static(fixed) width fornat Width Data Excel DB Support taxel file VMP format Support taxel file VAP format Support total pages calculation to every account SQL Server Link to SQL Server database Static Width Data Excel DB Support total pages calculation to every account SQL Server Link to SQL Server database Support total pages calculation to every account SQL Server Link to SQL Server database Support total pages calculation to every account SQL Server Link to SQL Server database Support total pages calculation to every account SQL Server Link to SQL Server database Support total pages calculation to every account SQL Server Link to SQL Server database Support total pages calculation to every account by the format of the page Left function - calculate string length Left functions - change the color, font, size, style,	Conditioning table printing Log printing support for account Design and print height is set separately to meet special demand for statement when setting up a project. Border Line size and line type(Solid,Dash,Square Dot,Dash Dot,) Support Unicode, Truetype and Opentype fonts Support to composite font, subscript and superscript. Properties change dynamically to the defined character Support foreground & background fill with Halftone brush, Hatch brush and Image Brush, support rainbow effect text. Color Black and RGB support CMYK and Spotcolor support to general text, path text and 3D text and overprint text Support serial number display format setting (startvalue, stepvalue, format) MDB Support single list open Support data filtering, multi-list & customized SQL scripting ODBC Support data filtering, multi-list, and all kinds of relational database, such as Oracle, SQL, Foxpro, Dbase. Database Disassembles System Support to Support Excel file XML DB Support serial number of data with static(fixed) width fornat Width Data Excel DB Support it serial plants or overy account Static Import large number of data with static(fixed) width fornat Width Data Support data filtering, multi-list, and all kinds of relational database, such as Oracle, SQL, Foxpro, Dbase. Subject total pages calculation to every account SQL Server Subport total pages calculation to every account SQL Server Subport total pages calculation to every account SAL Server Subport total pages calculation for every account System Support title Support Excel file XML DB Support Excel file XML DB Support it server Special data format produced by AccountDB for fast and safely statements printing Basic Autovalue function-serial numbering Splits function - subrace data and manipulate date & time information - calculate and manipulate date & time informa	Conditioning table printing Log printing support for account Design and print height is set separately to meet special demand for statement when setting up a project. Border Line size and line type(Solid,Dash,Square Dot,Dash Dot,) Support Unicode, Truetype and Opentype fonts Support Unicode, Truetype and Opentype fonts Support to composite font, subscript and superscript. Properties change dynamically to the defined character Brush Support foreground & background fill with Halftone brush, Hatch brush and Image Brush, support rainbow effect text. Color Slack and RGB support CMYK and Spotcolor support of general text, path text and 3D text and overprint text Text data Support lonicode and text file with any suffix or delimiter Support single list open Support single list open Support data filtering, multi-list, and all kinds of relational database, such as Oracle, SQL, Expropr. Obase. Database Dissupport total pages calculation to every account SQL Server Link to SQL Server database Support total pages calculation to every account SQL Server Elink to SQL Server database Support total pages calculation to every account SQL Server Elink to SQL Server database Support total pages calculation to every account SQL Server Elink to SQL Server database Support total pages calculation to every account SQL Server Elink to SQL Server database Support total pages calculation to every account SQL Server Elink to SQL Server database Support total pages calculation to every account SQL Server Elink to SQL Server database Support total pages calculation to every account SQL Server Elink to SQL Server database Support total pages calculation to every account SQL Server Elink to SQL Server database Support total pages calculation to every account SQL Server Elink to SQL Server database Support total pages calculation to every account SQL Server Elink to SQL Server

	Blank page insert for later sorting		√	√
	PPML, TIFF printing	Ī		
	Printing from different paper tray	ĺ		ĺ
Others	Eyedropper option to get RGB value	√	√	√
	Precision up to 0.01mm			
	 Use array object to create variable boxes in array order quickly 			
	 Flow text support, link multiple variable text boxes 		√	√
	 Database filtering export, support AND/OR logic processing 	1		
	OMR (Optical Mark Recognition) setting			√
Tools	PS to TIF	√	√	√
	SplitPDF to split PDF			
	Merge PDF to merge multiple PDF files	Ī		
	 Convert Project(Simplified Chinese-Traditional Chinese-English) 	Ī		
	Printing log	Ī		
	Extract Data to extract data from the original data for reprint	Ī		
	 Erxtract Pages to extract odd and even page for two side printing 	Ī		
	 Some module of AccountDB, including 1) Create Serial Number 		√	√
	2) Continious column number processing 3) Single column transform			
	to multiple field 4) Data repetition processing			
Anti-	Variable random color text pattern			
counterfeit	Variable random color caterpillar	1		
	Variable random color stroke			
	Variable lenticular image			
	Variable anti-copy		OPT	
	 Random color 1D and 2D barcode 	1		
	Variable microtext			
	Variable latent image			
	 Digital fiber pattern, Digital pill pattern, Digital bacteria pattern 	1		
	Kaleidoscope engine			
	UV Florescent Pattern			
	TrueRandom Random Data Generator			
	TAGImposer R			
	 Variable TextInFont, PictureInFont, LineInFont (Text Path) 			

OPT - Optional Feature ** Changes could be made prior to notice.